




COB LED Strips



MONO

SF400-COB8N



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF400-COB8N12	Free to cut at any position	Width: 8mm cooper: 20Z	12V	10W	>90	2200K	600	60
						2700K	650	65
						3000K	700	70
						4000K	750	75
						6500K	800	80
SF400-COB8N24	Free to cut at any position	Width: 8mm cooper: 20Z	24V	10W	>90	2200K	400	60
						2700K	450	65
						3000K	500	70
						4000K	550	75
						6500K	600	80




10 years design experience, your reliable LED partner!

COB LED Strips



MONO

SF528-COB8N



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF528-COB8N12	Free to cut at any position	Width: 8mm cooper: 20Z	12V	12W	>90	2200K	840	70
						2700K	900	75
						3000K	900	75
						4000K	960	80
						6500K	960	80
SF528-COB8N24	Free to cut at any position	Width: 8mm cooper: 20Z	24V	12W	>90	2200K	840	70
						2700K	900	75
						3000K	900	75
						4000K	960	80
						6500K	960	80





COB LED Strips



MONO

SF400-COB7N



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF400-COB7N12	10mm	Width: 8mm cooper: 20Z	12V	7W	>90	2200K	490	70
						2700K	504	72
						3000K	546	78
						4000K	560	80
						6500K	560	80
SF400-COB7N24	20mm	Width: 8mm cooper: 20Z	24V	7W	>90	2200K	490	70
						2700K	504	72
						3000K	546	78
						4000K	560	80
						6500K	560	80





COB LED Strips



MONO

SF400-COB3N



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF400-COB3N12	10mm	Width: 8mm cooper: 20Z	12V	6W	>90	2200K	450	75
						2700K	468	78
						3000K	480	80
						4000K	510	85
						6500K	540	90
SF400-COB3N24	20mm	Width: 8mm cooper: 20Z	24V	6W	>90	2200K	450	75
						2700K	468	78
						3000K	480	80
						4000K	510	85
						6500K	540	90




COB LED Strips




MONO


SF400-COB5N



12VDC



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF400-COB5N12	10mm	Width: 8mm cooper: 20Z	12V	7W	>90	2200K	525	75
						2700K	546	78
						3000K	560	80
						4000K	595	85
						6500K	630	90
SF400-COB5N24	20mm	Width: 8mm cooper: 20Z	24V	7W	>90	2200K	525	75
						2700K	546	78
						3000K	560	80
						4000K	595	85
						6500K	630	90




COB LED Strips



MONO

SF320-COBA0



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF320-COBA012	25mm	Width: 8mm cooper: 20Z	12v	9w	>90	2200K	610	76
						2700K	650	81
						3000K	680	85
						4000K	760	95
						6500K	800	100
						11000K	820	102
SF320-COBA024	50mm	Width: 8mm cooper: 20Z	24v	9w	>90	2200K	610	76
						2700K	650	81
						3000K	680	85
						4000K	760	95
						6500K	800	100
						11000K	820	102




10 years design experience, your reliable LED partner!

COB LED Strips



MONO

SF480-COBA0



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF480-COBA012	25mm	Width: 8mm cooper: 2OZ	12v	10w	>90	2200K	760	76
						2700K	800	80
						3000K	850	85
						4000K	950	95
						6500K	1000	100
						11000K	1000	100
SF480-COBA024	50mm	Width: 8mm cooper: 2OZ	24v	10w	>90	2200K	760	76
						2700K	800	80
						3000K	850	85
						4000K	950	95
						6500K	1000	100
						11000K	1000	100




10 years design experience, your reliable LED partner!

COB LED Strips



MONO

SF512-COBA0



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF512-COBA012	7.8mm	Width: 8mm cooper: 20Z	12v	10w	>90	2200K	700	78
						2700K	765	85
						3000K	810	90
						4000K	855	95
						6500K	900	100
						11000K	900	100
SF512-COBA024	15.6mm	Width: 8mm cooper: 20Z	24v	10w	>90	2200K	700	78
						2700K	765	85
						3000K	810	90
						4000K	855	95
						6500K	900	100
						11000K	900	100



10 years design experience, your reliable LED partner!

COB LED Strips





DUAL


SF608-COB0D



12VDC



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF608-COB0D12	13.15mm	Width: 10mm cooper: 20Z	12v	11+11	>90	2700K	820	75
						6300K	1150	105
SF608-COB0D24	26.31mm	Width: 10mm cooper: 20Z	24v	11+11	>90	2700K	820	75
						6300K	1150	105



10 years design experience, your reliable LED partner!

COB LED Strips





RGB


SF4x0-COBRGB



12VDC



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF450-COBRGB12	20mm	Width: 10mm cooper: 20Z	12v	15w	-	Red	-	-
						Green	-	-
						Blue	-	-
SF480-COBRGB24	50mm	Width: 10mm cooper: 20Z	24v	15w	-	Red	-	-
						Green	-	-
						Blue	-	-





10 years design experience, your reliable LED partner!

COB LED Strips



RGB

SF576-COBRGB



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF576-COBRGB12	31.25mm	Width: 10mm cooper: 20Z	12v	12w	-	Red	-	-
						Green	-	-
						Blue	-	-
SF576-COBRGB24	62.5mm	Width: 10mm cooper: 20Z	24v	14w	-	Red	-	-
						Green	-	-
						Blue	-	-



10 years design experience, your reliable LED partner!

COB LED Strips




RGBW

SF896-COBRGBW



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF896-COBRGBW24	41.66mm	Width: 12mm cooper: 20Z	24v	20w	>90	Red	-	-
						Green	-	-
						Blue	-	-
						White	360-500	70-100




10 years design experience, your reliable LED partner!

COB LED Strips



RGBWW

SF840-COBRGBWW



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF840-COBRGBWW24	31.25mm	Width: 12mm cooper: 2OZ	24v	21w	90	Red	-	-
						Green	-	-
						Blue	-	-
						3000K	460	92
						6000K	525	105



10 years design experience, your reliable LED partner!

COB LED Strips







SMD LED Strips



MONO

SF100-2835M

MINI-MULTI-POWER LED Strip



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF100-2835M12	10mm	Width: 8mm cooper: 3OZ	12v	4.8	>90	3000K	550	115
						4000K	585	122
						6500K	575	120
				9.6	>90	3000K	1027	107
						4000K	1080	113
						6500K	1056	110
				14.4	>90	3000K	1450	100
						4000K	1512	105
						6500K	1470	102



10 years design experience, your reliable LED partner!


SMD LED Strips



MONO

SF140-2835M

MULTI-POWER LED Strip



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF140-2835M24	50mm	Width: 8mm cooper: 3OZ	24v	4.8	>90	3000K	585	122
						4000K	624	130
						6500K	615	128
				9.6	>90	3000K	1125	117
						4000K	1200	125
						6500K	1150	120
				14.4	>90	3000K	1612	112
						4000K	1685	117
						6500K	1627	113



10 years design experience, your reliable LED partner!


SMD LED Strips



MONO

SF160-2835M

MULTI-POWER LED Strip



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF160-2835M24	50mm	Width: 10mm cooper: 3OZ	24v	5	>90	3000K	700	139
						4000K	750	150
						6500K	735	147
				9	>90	3000K	1260	140
						4000K	1305	145
						6500K	1290	143
				13	>90	3000K	1690	130
						4000K	1755	135
						6500K	1730	133



10 years design experience, your reliable LED partner!

SMD LED Strips




MONO

SF120-2835N



12VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF120-2835N12	25mm	Width: 5mm cooper: 3OZ	12v	9.6w	>90	2200K	912	95
						2700K	960	100
						3000K	1010	105
						4000K	1075	112
						5700K	1050	110
						6500K	1050	110
SF120-2835N24	50mm	Width: 5mm cooper: 3OZ	24v	9.6w	>90	2200K	912	93
						2700K	960	100
						3000K	1010	105
						4000K	1075	112
						5700K	1050	110
						6500K	1050	110




10 years design experience, your reliable LED partner!

SMD LED Strips



MONO

SF120-2835A



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF120-2835A12	25mm	Width: 8mm cooper: 3OZ	12v	9.6w	>90	2200K	912	95
						2700K	960	100
						3000K	1010	105
						4000K	1075	112
						5700K	1050	110
						6500K	1050	110
SF120-2835A24	50mm	Width: 8mm cooper: 3OZ	24v	9.6w	>90	2200K	912	93
						2700K	960	100
						3000K	1010	105
						4000K	1075	112
						5700K	1050	110
						6500K	1050	110



10 years design experience, your reliable LED partner!

SMD LED Strips





MONO

SF120-2835CA


Constant current



12VDC



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF120-2835CA12	25mm	Width: 8mm cooper: 3OZ	12v	6.5w	>90	3000K	625	96
						4000K	650	100
						6500K	650	100
SF120-2835CA24	50mm	Width: 8mm cooper: 3OZ	24v	6.3w	>90	3000K	605	96
						4000K	630	100
						6500K	630	100



10 years design experience, your reliable LED partner!


SMD LED Strips




MONO

SF180-2835A

Mini cut



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF180-2835A24	11.1mm	Width: 8mm cooper: 30Z	24v	13.5W	>80	3000K	1485	110
						4000K	1525	115
						6500K	1525	115



10 years design experience, your reliable LED partner!


SMD LED Strips




MONO

SF192-2835A

High-Density



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF192-2835A24	31.25mm	Width: 8mm cooper: 30Z	24v	15w	>90	3000K	1350	90
						4000K	1430	95
						6500K	1430	95



10 years design experience, your reliable LED partner!


SMD LED Strips



MONO


SF200-2835A

High-Density & High efficiency



5000mm (16.4')

12VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF200-2835A12	20mm	Width: 8mm cooper: 30Z	12v	12w	>90	3000K	1530	128
						4000K	1600	135
						6500K	1600	135



10 years design experience, your reliable LED partner!


SMD LED Strips




MONO

SF210-2835A24

Professional Grade



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF210-2835A24	33.33mm	Width: 8mm cooper: 30Z	24v	15w	>90	3000K	1650	110
						4000K	1720	115
						6500K	1720	115



10 years design experience, your reliable LED partner!


SMD LED Strips



MONO

SF280-2835A24

Professional Grade



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF280-2835A24	50mm	Width: 15mm cooper: 30Z	24v	25w	>90	3000K	2750	110
						4000K	2850	115
						6500K	2850	115



10 years design experience, your reliable LED partner!


SMD LED Strips




MONO

SF420-2835A24

Professional Grade



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF420-2835A24	50mm	Width: 24mm cooper: 30Z	24v	35w	>90	3000K	3850	110
						4000K	4050	115
						6500K	4050	115



10 years design experience, your reliable LED partner!

SMD LED Strips





MONO

SF560-2835A24

Professional Grade



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF560-2835A24	50mm	Width: 30mm cooper: 30Z	24v	43w	>90	3000K	4750	110
						4000K	4950	115
						6500K	4950	115



10 years design experience, your reliable LED partner!


SMD LED Strips



MONO


SF136-2835EC

End Control | Professional Grade




12VDC

5000mm (16.4')



24VDC

5000mm (16.4')



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF136-2835EC12	14.7mm	Width: 8mm cooper: 3OZ	12v	12w	>90	3000K	1320	110
						4000K	1350	115
						6500K	1350	115
SF136-2835EC24	14.7mm	Width: 8mm cooper: 3OZ	24v	12w	>90	3000K	1320	110
						4000K	1350	115
						6500K	1350	115



10 years design experience, your reliable LED partner!

SMD LED Strips





DUAL


SF1x0-2835D



12VDC



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF120-2835D212	25mm	Width: 5mm cooper: 3OZ	12v	9.6w	>90	2200K	845	88
						6500K	960	100
SF140-2835D224	50mm	Width: 5mm cooper: 3OZ	24v	9.6w	>90	2200K	1015	106
						6500K	1150	120

* Control Method: Polarity switching to switch colors



10 years design experience, your reliable LED partner!

SMD LED Strips





DUAL


SF1x0-2835D3



12VDC



24VDC



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF120-2835D312	25mm	Width: 8mm cooper: 3OZ	12v	9.6+9.6	>90	2200K	845	88
						6500K	960	100
SF140-2835D324	50mm	Width: 8mm cooper: 3OZ	24v	9.6+9.6	>90	2200K	1015	106
						6500K	1150	120

* Control Method: Common Anode, 3 wire control




10 years design experience, your reliable LED partner!

SMD LED Strips




GROW

SF300-2835PG



24VDC




120°
beam Angle



CE



RoHS



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF300-2835PG24	25mm	Width: 20mm cooper: 30Z	24v	14.4+14.4W	>97	Multi-Color	2500lm	-

* Control Method: Common Anode, 3 wire control




10 years design experience, your reliable LED partner!

SMD LED Strips



RGB+W

SF120-2835RGB+W



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color (K)	Lumen(lm)	Efficiency(lm/w)
SF120-2835RGB+W	100mm	Width: 10mm (optional in 8mm) Cooper: 3OZ	24V	MAX 19W	>80	RGB+W	W:517	110




10 years design experience, your reliable LED partner!

SMD LED Strips



RGB+WW

SF120-2835RGB+WW



Model No.	Cut Length (mm)	PCB	Voltage (V)	Power (W/m)	CRI	Color	Lumen(lm)	Efficiency(lm/w)
SF120-2835RGB+WW	100mm	Width: 12mm Cooper: 3OZ	24V	MAX 24W	>90	RGB+	WW:517	110
						WW	CW:540	115





10 years design experience, your reliable LED partner!

SMD LED Strips



DRGB

SF120-2835DRGB



Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color
SF120-2835DRGB	25mm	Width: 6mm Cooper: 3OZ	12V	MAX 20W		RGB





10 years design experience, your reliable LED partner!

SMD LED Strips



DRGB

SF120-4040DRGB




Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color
SF120-4040DRGB	10mm	Width: 6mm Cooper: 3OZ	12V	MAX , <13W		RGB




10 years design experience, your reliable LED partner!

SMD LED Strips







Neon LED Strips



MONO

SL-N0405F4003



MINI size Neon light, Top Bending (Vertical Bending)

Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color (K)	Lumen (lm)	Efficiency (lm/w)
SL-N0405F4003-12	10mm	Width: 3mm cooper: 3OZ	24V	6W	>90	2200/2500/ 2700/3000/ 4000/6500K	180	30
SL-N0405F4003-24	20mm	Width: 3mm cooper: 3OZ	24V	6W	>90	2200/2500/ 2700/3000/ 4000/6500K	180	30




10 years design experience, your reliable LED partner!

NEON LED



MONO

SL-N0405F4004



MINI size Neon light, Top Bending (Vertical Bending)

Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color (K)	Lumen (lm)	Efficiency (lm/w)
SL-N0405F4004-12	10mm	Width: 3mm cooper: 3OZ	12V	6W	>90	2200/2500/ 2700/3000/ 4000/6500K	210	35
SL-N0405F4004-24	20mm	Width: 3mm cooper: 3OZ	24V	6W	>90	2200/2500/ 2700/3000/ 4000/6500K	210	35







10 years design experience, your reliable LED partner!

NEON LED



MONO

SL-N0408E4005



MINI size Neon light, Side Bending (Horizontal Bending)

Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color (K)	Lumen (lm)	Efficiency (lm/w)
SL-N0408E4005-12	10mm	Width: 5mm cooper: 3OZ	24V	8W	>90	2200/2500/ 2700/3000/ 4000/6500K	224	28
SL-N0408E4005-24	20mm	Width: 5mm cooper: 3OZ	24V	8W	>90	2200/2500/ 2700/3000/ 4000/6500K	224	28



10 years design experience, your reliable LED partner!





MONO

SL-N0410F4005



Top Bending (Vertical Bending)



Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color (K)	Lumen (lm)	Efficiency (lm/w)
SL-N0410F4005-12	10mm	Width: 8mm cooper: 20Z	24V	8W	>90	2200/2500/ 2700/3000/ 4000/6500K	320	40
SL-N0410F4005-24	20mm	Width: 8mm cooper: 20Z	24V	8W	>90	2200/2500/ 2700/3000/ 4000/6500K	320	40




10 years design experience, your reliable LED partner!

NEON LED




MONO

SL-N0410E4005



Side Bending (Horizontal Bending)



Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color (K)	Lumen (lm)	Efficiency (lm/w)
SL-N0410E4005-12	10mm	Width: 5mm cooper: 20Z	12V	8W	>90	2200/2500/ 2700/3000/ 4000/6500K	208	26
SL-N0410E4005-	20mm	Width: 5mm cooper: 20Z	24V	8W	>90	2200/2500/ 2700/3000/ 4000/6500K	208	26







10 years design experience, your reliable LED partner!

NEON LED



MONO

SL-N1010F1006



Digital RGB neon light, Top Bending (Vertical Bending)

Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color (K)	Lumen (lm)	Efficiency (lm/w)
SL-N1010F1006	10mm	Width: 6mm cooper: 3OZ	12V	MAX 20W	--	Digital RGB	--	--






10 years design experience, your reliable LED partner!



MONO

SL-N1010E1006



Digital RGB neon light, Side Bending (Horizontal Bending)

Model No.	Cut Length (mm)	PCB	Voltage(V)	Power (W/m)	CRI	Color (K)	Lumen (lm)	Efficiency (lm/w)
SL-N1010E1006	10mm	Width: 6mm cooper: 3OZ	12V	MAX 20W	--	Digital RGB	--	--



10 years design experience, your reliable LED partner!

